PAT-NO:

JP406279305A

DOCUMENT-IDENTIFIER: JP 06279305 A

TITLE:

AGENT FOR TREATMENT OF DERMATIC

DISEASE SUCH AS ATOPIC

DERMATITIS

PUBN-DATE:

October 4, 1994

INVENTOR-INFORMATION:

NAME

KUGA, MASAAKI

ASSIGNEE-INFORMATION:

COUNTRY NAME KUGA TAKAAKI N/AKUGA MASAAKI N/A

APPL-NO:

JP05105881

APPL-DATE:

March 25, 1993

INT-CL (IPC): A61K035/78, A61K035/78, A61K035/78, A61K035/78 , A61K009/06

ABSTRACT:

PURPOSE: To provide an agent having remarkably excellent effect for the treatment of various intractable skin diseases such as atopic dermatitis and having little side effect.

CONSTITUTION: An agent for the treatment of various skin diseases is produced by properly combining crude drugs such as OUGI (root of Astragalus huantchy), TOUKI (root of Angelica acutiloba), KEIHI (bark of Cinnamomum cassia), SHAKUYAKU (root of Paeonia albiflora), JIOU (root of

Rehmannia glutinosa), OUREN (rhizome of Coptis japonica), OUGON (root of Scutellaria baicalensis), OUBAKU (bark of Phellodendron amurense), SANSHISHI (fruit of Gardenia jasminoides), BOUFU (root of Ladebouriella seseloides), KEIGAI (flower of Schizonepeta tenuifolia), SOUJUTSU (rhizome of Atractylodes lancea), DAIOU (rhizome of Pheum palmatum), SAIKO (root of Bupleurum falcatum), OUHI (bark of Prunus yedoensis) and KUJIN (root of Sophora angustifolia), decocting the herbs with a vegetable oil such as olive oil, removing the solid component from the extract by filtration or other means, adding horse oil and beeswax to the obtained extract, dissolving the mixture and cooling the solution under stirring to obtain the objective ointment.

COPYRIGHT: (C)1994,JPO

(19)日本国特許庁 (JP)

(12) 公開特許公報(A)

(11)特許出願公開番号

特開平6-279305

(43)公開日 平成6年(1994)10月4日

愛媛県北条市辻826番地5号

(51)Int.Cl. ⁵ A 6 1 K 35/78	識別記号 ADA W ABF W ABM W ACK W	庁内整理番号 7822-4C 7822-4C 7822-4C 7822-4C	FI	技術表示箇所
9/06	G	7329-4C 審査請求	未請求 請求項	貝の数8 書面 (全 6 頁) 最終頁に続く
(21)出願番号	特顯平5-105881		(71)出願人	
(22)出願日	平成5年(1993)3月	125 日	(71)出顧人	久我 高昭 愛媛県新居浜市坂井町 3 丁目14番52号 593077490 久我 正明 愛媛県北条市辻826番地 5 号
			(72)発明者	久我 正明

(54) 【発明の名称 】 アトピー性皮膚炎等の皮膚疾患治療薬

(57)【要約】

【目的】治療が困難なアトピー性皮膚炎等の各種皮膚疾 患に対して副作用がほとんどなくかつ、治療効果のきわ めて大きい治療薬を得ることである。

【構成】オウギ、トウキ、ケイヒ、シャクヤク、ジオウ、オウレン、オウゴン、オウバク、サンシシ、ボウフウ、ケイガイ、ソウジュツ、ダイオウ、サイコ、オウヒ、クジン等の生薬を適宜組合わせて、これらをオリーブ油等の植物油で煮出して得られた抽出液を沪過、その他により固形物を除去してエキスを得る。これに馬の油と蜜蝋を入れて溶解、攪拌しながら冷やして膏剤としたものを主成分とする各種皮膚疾患に対する治療薬。

1

【特許請求の範囲】

【請求項1】オウギ、トウキ、ケイヒ、シャクヤク、ジ オウ、オウレン、オウゴン、オウバク、サンシシ、ボウ フウ、ケイガイ、ソウジュツ、ダイオウの生薬を適宜組 合わせて、これらをオリーブ油等の植物油で煮出して得 たエキスと馬の油を組み合わせたものを有効主成分とす ることを特徴とする各種皮膚疾患に対する治療薬。

【請求項2】オウギ、トウキ、ケイヒ、シャクヤク、ジ オウ, オウレン, オウゴン, オウバク, サンシシ, ボウ フウ,ケイガイ,ソウジュツ,ダイオウ,サイコの生薬 10 を適宜組合わせて、これらをオリーブ油等の植物油で煮 出して得たエキスと馬の油を組み合わせたものを有効主 成分とすることを特徴とする各種皮膚疾患に対する治療

【請求項3】オウギ、トウキ、ケイヒ、シャクヤク、ジ オウ, オウレン, オウゴン, オウバク, サンシシ, ボウ フウ,ケイガイ,ソウジュツ,ダイオウ,サイコ,オウ ヒの生薬を適宜組合わせて、これらをオリーブ油等の植 物油で煮出して得たエキスと馬の油を組み合わせたもの を有効主成分とすることを特徴とする各種皮膚疾患に対 20 する治療薬。

【請求項4】オウギ、トウキ、ケイヒ、シャクヤク、ジ オウ、オウレン、オウゴン、オウバク、サンシシ、ボウ フウ、ケイガイ、ソウジュツ、ダイオウ、サイコ、オウ し、クジンの生薬を適宜組合わせて、これらをオリーブ 油等の植物油で煮出して得たエキスと馬の油を組み合わ せたものを有効主成分とすることを特徴とする各種皮膚 疾患に対する治療薬。

【請求項5】オウギ、トウキ、シャクヤク、ジオウ、オ ウレン、オウゴン、オウバク、サンシシ、ケイガイ、ソ 30 【0005】 ウジュツ、ダイオウ、サイコの生薬を適宜組合わせて、 これらをオリーブ油等の植物油で煮出して得たエキスと 馬の油を組み合わせたものを有効主成分とすることを特 徴とする各種皮膚疾患に対する治療薬。

【請求項6】オウギ、トウキ、シャクヤク、ジオウ、オ ウレン、オウゴン、オウバク、サンシシ、ケイガイ、ソ ウジュツ、ダイオウ、サイコ、クジンの生薬を適宜組合 わせて、これらをオリーブ油等の植物油で煮出して得た エキスと馬の油を組み合わせたものを有効主成分とする ことを特徴とする各種皮膚疾患に対する治療薬。

【請求項7】オウギ、トウキ、シャクヤク、ジオウ、オ ウレン, オウゴン, オウバク, サンシシ, ケイガイ, ソ ウジュツ、ダイオウ、サイコ、クジン、オウヒの生薬を 適宜組合わせて、これらをオリーブ油等の植物油で煮出 して得たエキスと馬の油を組み合わせたものを有効主成 分とすることを特徴とする各種皮膚疾患に対する治療

【請求項8】オウギ、トウキ、シャクヤク、ジオウ、オ ウレン、オウゴン、オウバク、サンシシ、ケイガイ、ソ ウジュツ、ダイオウ、サイコ、オウヒの生薬を適宜組合 50 ャクヤク10、ジオウ20、オウレン5、オウゴン1

わせて、これらをオリーブ油等の植物油で煮出して得た

エキスと馬の油を組み合わせたものを有効主成分とする ことを特徴とする各種皮膚疾患に対する治療薬。

2

【発明の詳細な説明】

[0001]

【産業上の利用分野】この発明はアトピー性皮膚炎、口 内炎、外耳道炎、蓄膿症、火傷、鼻炎による嗅覚低下 症、舌痛症、しもやけ、その他の皮膚疾患治療薬として 利用される。

[0002]

【従来の技術】従来は、実用新案登録願平成5年2月8 日提出の同一人出願による皮膚疾患治療薬ならびに特許 願平成5年3月2日提出の同一人出願によるアトピー性 皮膚炎等皮膚疾患治療薬がある。しかしながら、それら の治療薬は一部のアトピー性皮膚炎等に対して、発汗そ の他の原因で充分な治療効果が出ない場合がある。

[0003]

【考案が解決しようとする課題】このため従来のアトピ 一性皮膚炎等皮膚疾患治療薬の欠点を解決するために、 発汗とかゆみと副作用がほとんとなく、かつ治療効果の きわめて大きい治療薬を得ることが課題である。

[0004]

【課題を解決するための手段】オウギ、トウキ、ケイ **ヒ,シャクヤク,ジオウ,オウレン,オウゴン,オウバ** ク, サンシシ, ボウフウ, ケイガイ、ソウジュツ、ダイ オウ、サイコ、オウヒ、クジン等の生薬を適宜組合わせ て、これらをオリーブ油等の植物油で煮出して得たエキ スと馬の油を組み合わせたものを有効主成分とする各種 皮膚疾患に対する治療薬。

【作用】本発明の治療薬を局所に軽く塗布するか、ガー ゼや紙などに伸ばして貼布することによりアトピー性皮 膚炎に作用して発汗、かゆみ、副作用がほとんどなく、 かつ効果が大きい治療ができる。そして皮膚を正常な皮 **膚に回復させることはもちろん、変色していた皮膚の色** を正常な色に戻すこともできる。またその治療中に疾患 部の発汗並びにかゆみもおさえることができるので、よ り一層有効な治療効果が得られる。口内炎、外耳道炎、 蓄膿症、火傷、鼻炎による嗅覚低下症、しもやけ、舌痛 40 症,その他の皮膚疾患に対しても、きわめて有効な治療 効果が得られる。

[0006]

【実施例1】オウギ、トウキ、ケイヒ、シャクヤク、ジ オウ, オウレン, オウゴン, オウバク, サンシシ, ボウ フウ、ケイガイ、ソウジュツ、ダイオウの生薬を適宜組 合わせて、これらをオリーブ油で煮出して得たエキスと 馬の油を組み合わせたものを有効主成分とする各種皮膚 疾患に対する治療薬。上記の生薬は適当な割合で用いる ことができるがオウギ10,トウキ20,ケイヒ3,シ

0, オウバク3, サンシシ5, ボウフウ10, ケイガイ 5, ソウジュツ10, ダイオウ10の割合で用いるのが 好ましい。

[0007]

【実施例2】オウギ、トウキ、ケイヒ、シャクヤク、ジ オウ, オウレン, オウゴン, オウバク, サンシシ, ボウ フウ、ケイガイ、ソウジュツ、ダイオウの生薬を適宜組 合わせて、これらを胡麻油で煮出して得たエキスと馬の 油を組み合わせたものを有効主成分とする各種皮膚疾患 に対する治療薬。上記の生薬は適当な割合で用いること 10 ができるがオウギ10,トウキ20、ケイヒ3,シャク ヤク10、ジオウ20、オウレン5、オウゴン10、オ ウバク3、サンシシ5、ボウフウ10、ケイガイ5、ソ ウジュツ10、ダイオウ10の割合で用いるのが好まし 610

[0008]

【実施例3】オウギ、トウキ、ケイヒ、シャクヤク、ジ オウ、オウレン、オウゴン、オウバク、サンシシ、ボウ フウ、ケイガイ、ソウジュツ、ダイオウの生薬適宜を組 合わせて、これらを植物油で煮出して得たエキスと動物 20 油を組み合わせたものを有効主成分とすることを特徴と する各種皮膚疾患に対する治療薬。上記の生薬は適当な 割合で用いることができるがオウギ10、トウキ20、 ケイヒ3,シャクヤク10,ジオウ20,オウレン5, オウゴン10, オウバク3, サンシシ5, ボウフウ1 0. ケイガイ5. ソウジュツ10. ダイオウ10の割合 で用いるのが好ましい。

[0009]

【実施例4】オウギ、トウキ、ケイヒ、シャクヤク、ジ フウ、ケイガイ、ソウジュツ、ダイオウの生薬を適宜組 合わせて、これらを馬の油等の動物油で煮出して得たエ キスを有効主成分とすることを特徴とする各種皮膚疾患 に対する治療薬。上記の生薬は適当な割合で用いること ができるがオウギ10,トウキ20,ケイヒ3,シャク ヤク10,ジオウ20,オウレン5,オウゴン10,オ ウバク3、サンシシ5、ボウフウ10、ケイガイ5、ソ ウジュツ10、ダイオウ10の割合で用いるのが好まし 11

[0010]

【実施例5】オウギ、トウキ、ケイヒ、シャクヤク、ジ オウ、オウレン、オウゴン、オウバク、サンシシ、ボウ フウ、ケイガイ、ソウジュツ、ダイオウの生薬適宜を組 合わせて、これらをオリーブ油等の植物油で煮出して得 られた抽出液を沪過、その他により固形物を除去してエ キスを得る。これに馬の油と蜜蝋を入れて溶解、攪拌し ながら冷やして膏剤としたものを主成分とする各種皮膚 疾患に対する治療薬。上記の生薬は適当な割合で用いる ことができるがオウギ10、トウキ20、ケイヒ3、シ ャクヤク10, ジオウ20, オウレン5, オウゴン1

0、オウバク3、サンシシ5、ボウフウ10、ケイガイ 5, ソウジュツ10, ダイオウ10の割合で用いるのが 好ましい。

[0011]

【実施例6】オウギ、トウキ、ケイヒ、シャクヤク、ジ オウ、オウレン、オウゴン、オウバク、サンシシ、ボウ フウ、ケイガイ、ソウジュツ、ダイオウ、サイコの生薬 を適宜組合わせて、これらをオリーブ油で煮出して得た エキスと馬の油を組み合わせたものを有効主成分とする 各種皮膚疾患に対する治療薬。

[0012]

【実施例7】オウギ、トウキ、ケイヒ、シャクヤク、ジ オウ、オウレン、オウゴン、オウバク、サンシシ、ボウ フウ、ケイガイ、ソウジュツ、ダイオウ、サイコの生薬 を適宜組合わせて、これらを胡麻油で煮出して得たエキ スと馬の油を組み合わせたものを有効主成分とする各種 皮膚疾患に対する治療薬。

[0013]

【実施例8】オウギ、トウキ、ケイヒ、シャクヤク、ジ オウ, オウレン, オウゴン, オウバク, サンシシ, ボウ フウ、ケイガイ、ソウジュツ、ダイオウ、サイコの生薬 を適宜組合わせて、これらを植物油で煮出して得たエキ スと馬の油を組み合わせたものを有効主成分とする各種 皮膚疾患に対する治療薬。

[0014]

【実施例9】オウギ、トウキ、ケイヒ、シャクヤク、ジ オウ、オウレン、オウゴン、オウバク、サンシシ、ボウ フウ、ケイガイ、ソウジュツ、ダイオウ、サイコの生薬 を適宜組合わせて、これらを馬の油等の動物油で煮出し オウ、オウレン、オウゴン、オウバク、サンシシ、ボウ 30 て得たエキスを有効主成分とする各種皮膚疾患に対する 治療薬。

[0015]

【実施例10】オウギ、トウキ、ケイヒ、シャクヤク、 ジオウ、オウレン、オウゴン、オウバク、サンシシ、ボ ウフウ、ケイガイ、ソウジュツ、ダイオウ、サイコの生 薬を適宜組合わせて、これらをオリーブ油等の植物油で 煮出して得られた抽出液を沪過、その他により固形物を 除去してエキスを得る。これに馬の油と蜜蝋を入れて溶 解、攪拌しながら冷やして膏剤としたものを主成分とす 40 る各種皮膚疾患に対する治療薬。

[0016]

【実施例11】オウギ、トウキ、ケイヒ、シャクヤク、 ジオウ、オウレン、オウゴン、オウバク、サンシシ、ボ ウフウ、ケイガイ、ソウジュツ、ダイオウ、サイコ、オ ウヒの生薬を適宜組合わせて、これらをオリーブ油で煮 出して得たエキスと馬の油を組み合わせたものを有効主 成分とする各種皮膚疾患に対する治療薬。

[0017]

【実施例12】オウギ、トウキ、ケイヒ、シャクヤク、 50 ジオウ, オウレン, オウゴン, オウバク, サンシシ, ボ .

ウフウ、ケイガイ、ソウジュツ、ダイオウ、サイコ、オウヒの生薬を適宜組合わせて、これらを胡麻油で煮出して得たエキスと馬の油を組み合わせたものを有効主成分とする各種皮膚疾患に対する治療薬。

[0018]

【実施例13】オウギ、トウキ、ケイヒ、シャクヤク、ジオウ、オウレン、オウゴン、オウバク、サンシシ、ボウフウ、ケイガイ、ソウジュツ、ダイオウ、サイコ、オウヒの生薬を適宜組合わせて、これらを植物油で煮出して得たエキスと馬の油を組み合わせたものを有効主成分 10とする各種皮膚疾患に対する治療薬。

[0019]

【実施例14】オウギ,トウキ,ケイヒ,シャクヤク,ジオウ,オウレン,オウゴン,オウバク,サンシシ,ボウフウ,ケイガイ,ソウジュツ,ダイオウ,サイコ,オウヒの生薬を適宜組合わせて、これらを馬の油等の動物油で煮出して得たエキスを組み合わせたものを有効主成分とする各種皮膚疾患に対する治療薬。

[0020]

【実施例15】オウギ、トウキ、ケイヒ、シャクヤク、ジオウ、オウレン、オウゴン、オウバク、サンシシ、ボウフウ、ケイガイ、ソウジュツ、ダイオウ、サイコ、オウヒの生薬を適宜組合わせて、これらをオリーブ油等の植物油で煮出して得られた抽出液を沪過、その他により固形物を除去してエキスを得る。これに馬の油と蜜蝋を入れて溶解、攪拌しながら冷やして青剤としたものを主成分とする各種皮膚疾患に対する治療薬。

[0021]

【実施例16】オウギ、トウキ、ケイヒ、シャクヤク、ジオウ、オウレン、オウゴン、オウバク、サンシシ、ボ 30 ウフウ、ケイガイ、ソウジュツ、ダイオウ、サイコ、オウヒ、クジンの生薬を適宜組合わせて、これらをオリーブ油で煮出して得たエキスと馬の油を組み合わせたものを有効主成分とする各種皮膚疾患に対する治療薬。

[0022]

【実施例17】オウギ、トウキ、ケイヒ、シャクヤク、ジオウ、オウレン、オウゴン、オウバク、サンシシ、ボウフウ、ケイガイ、ソウジュツ、ダイオウ、サイコ、オウヒ、クジンの生薬を適宜組合わせて、これらを胡麻油で煮出して得たエキスと馬の油を組み合わせたものを有40効主成分とする各種皮膚疾患に対する治療薬。

[0023]

【実施例18】オウギ、トウキ、ケイヒ、シャクヤク、ジオウ、オウレン、オウゴン、オウバク、サンシシ、ボウフウ、ケイガイ、ソウジュツ、ダイオウ、サイコ、オウヒ、クジンの生薬を適宜組合わせて、これらを植物油で煮出して得たエキスと馬の油を組み合わせたものを有効主成分とする各種皮膚疾患に対する治療薬。

[0024]

【実施例19】オウギ、トウキ、ケイヒ、シャクヤク、

ジオウ、オウレン、オウゴン、オウバク、サンシシ、ボウフウ、ケイガイ、ソウジュツ、ダイオウ、サイコ、オウヒ、クジンの生薬を適宜組合わせ、そしてこれらを馬の油等の動物油で煮出して得たエキスを有効主成分とする各種皮膚疾患に対する治療薬。

6

[0025]

【実施例20】オウギ、トウキ、ケイヒ、シャクヤク、ジオウ、オウレン、オウゴン、オウバク、サンシシ、ボウフウ、ケイガイ、ソウジュツ、ダイオウ、サイコ、オウヒ、クジンの生薬を適宜組合わせ、これらをオリーブ油等の植物油で煮出して得られた抽出液を沪過、その他により固形物を除去してエキスを得る。これに馬の油と蜜蝋を入れて溶解、攪拌しながら冷やして膏剤としたものを主成分とする各種皮膚疾患に対する治療薬。

[0026]

【実施例21】オウギ,トウキ,シャクヤク,ジオウ,オウレン,オウゴン,オウバク,サンシシ,ケイガイ,ソウジュツ,ダイオウ,サイコの生薬を適宜組合わせて、これらをオリーブ油で煮出して得たエキスと馬の油20 を組み合わせたものを有効主成分とする各種皮膚疾患に対する治療薬。

[0027]

【実施例22】オウギ、トウキ、シャクヤク、ジオウ、オウレン、オウゴン、オウバク、サンシシ、ケイガイ、ソウジュツ、ダイオウ、サイコの生薬を適宜組合わせて、これらを胡麻油で煮出して得たエキスと馬の油を組み合わせたものを有効主成分とする各種皮膚疾患に対する治療薬。

[0028]

【実施例23】オウギ、トウキ、シャクヤク、ジオウ、 オウレン、オウゴン、オウバク、サンシシ、ケイガイ、 ソウジュツ、ダイオウ、サイコの生薬を適宜組合わせ て、これらを植物油で煮出して得たエキスと馬の油を組 み合わせたものを有効主成分とする各種皮膚疾患に対す る治療薬。

[0029]

【実施例24】オウギ、トウキ、シャクヤク、ジオウ、オウレン、オウゴン、オウバク、サンシシ、ケイガイ、ソウジュツ、ダイオウ、サイコの生薬を適宜組合わせて、これらを馬の油等の動物油で煮出して得たエキスを有効主成分とする各種皮膚疾患に対する治療薬。

[0030]

【実施例25】オウギ,トウキ,シャクヤク,ジオウ,オウレン,オウゴン,オウバク,サンシシ,ケイガイ,ソウジュツ,ダイオウ,サイコの生薬を適宜組台わせて、これらをオリーブ油等の植物油で煮出して得られた抽出液を沪過、その他により固形物を除去してエキスを得る。これに馬の油と蜜蝋を入れて溶解、攪拌しながら冷やして膏剤としたものを主成分とする各種皮膚疾患に50 対する治療薬。

7

[0031]

【実施例26】オウギ、トウキ、シャクヤク、ジオウ、オウレン、オウゴン、オウバク、サンシシ、ケイガイ、ソウジュツ、ダイオウ、サイコ、クジンの生薬を適宜組合わせて、これらをオリーブ油で煮出して得たエキスと馬の油を組み合わせたものを有効主成分とする各種皮膚疾患に対する治療薬。

[0032]

【実施例27】オウギ、トウキ、シャクヤク、ジオウ、オウレン、オウゴン、オウバク、サンシシ、ケイガイ、ソウジュツ、ダイオウ、サイコ、クジンの生薬を適宜組合わせて、これらを胡麻油で煮出して得たエキスと馬の油を組み合わせたものを有効主成分とする各種皮膚疾患に対する治療薬。

[0033]

【実施例28】オウギ、トウキ、シャクヤク、ジオウ、オウレン、オウゴン、オウバク、サンシシ、ケイガイ、ソウジュツ、ダイオウ、サイコ、クジンの生薬を適宜組合わせて、これらを植物油で煮出して得たエキスと馬の油を組み合わせたものを有効主成分とする各種皮膚疾患20に対する治療薬。

[0034]

【実施例29】オウギ、トウキ、シャクヤク、ジオウ、オウレン、オウゴン、オウバク、サンシ、ケイガイ、ソウジュツ、ダイオウ、サイコ、クジンの生薬を適宜組合わせて、これらを馬の油等の動物油で煮出して得たエキスを有効主成分とする各種皮膚疾患に対する治療薬。

[0035]

【実施例30】オウギ、トウキ、シャクヤク、ジオウ、オウレン、オウゴン、オウパク、サンシシ、ケイガイ、ソウジュツ、ダイオウ、サイコ、クジンの生薬を適宜組合わせて、これらをオリーブ油等の植物油で煮出して得られた抽出液を沪過、その他により固形物を除去してエキスを得る。これに馬の油と蜜蝋を入れて溶解、攪拌しながら冷やして膏剤としたものを主成分とする各種皮膚疾患に対する治療薬。

[0036]

【実施例31】オウギ、トウキ、シャクヤク、ジオウ、オウレン、オウゴン、オウバク、サンシシ、ケイガイ、ソウジュツ、ダイオウ、サイコ、クジン、オウヒの生薬 40を適宜組合わせて、これらをオリーブ油で煮出して得たエキスと馬の油を組み合わせたものを有効主成分とする各種皮膚疾患に対する治療薬。

[0037]

【実施例32】オウギ、トウキ、シャクヤク、ジオウ、オウレン・オウゴン、オウバク、サンシシ、ケイガイ、ソウジュツ、ダイオウ、サイコ、クジン、オウヒの生薬を適宜組合わせて、これらを胡麻油で煮出して得たエキスと馬の油を組み合わせたものを有効主成分とする各種皮膚疾患に対する治療薬。

[0038]

【実施例33】オウギ、トウキ、シャクヤク、ジオウ、オウレン、オウゴン、オウバク、サンシシ、ケイガイ、ソウジュツ、ダイオウ、サイコ、クジン、オウヒの生薬を適宜組合わせて、これらを植物油で煮出して得たエキスと馬の油を組み合わせたものを有効主成分とする各種皮膚疾患に対する治療薬。

8

[0039]

【実施例34】オウギ、トウキ、シャクヤク、ジオウ、10 オウレン、オウゴン、オウバク、サンシシ、ケイガイ、ソウジュツ、ダイオウ、サイコ、クジン、オウヒの生薬を適宜組合わせて、これらを馬の油等の動物油で煮出して得たエキスを有効主成分とする各種皮膚疾患に対する治療薬。

[0040]

【実施例35】オウギ、トウキ、シャクヤク、ジオウ、オウレン、オウゴン、オウバク、サンシシ、ケイガイ、ソウジュツ、ダイオウ、サイコ、クジン、オウヒの生薬を適宜組合わせて、これらをオリーブ油等の植物油で煮出して得られた抽出液を沪過、その他により固形物を除去してエキスを得る。これに馬の油と蜜蝋を入れて溶解、攪拌しながら冷やして膏剤としたものを主成分とする各種皮膚疾患に対する治療薬。

[0041]

【実施例36】オウギ、トウキ、シャクヤク、ジオウ、オウレン、オウゴン、オウバク、サンシシ、ケイガイ、ソウジュツ、ダイオウ、サイコ、オウヒの生薬を適宜組合わせて、これらをオリーブ油で煮出して得たエキスと馬の油を組み合わせたものを有効主成分とする各種皮膚30 疾患に対する治療薬。

[0042]

【実施例37】オウギ、トウキ、シャクヤク、ジオウ、オウレン、オウゴン、オウバク、サンシシ、ケイガイ、ソウジュツ、ダイオウ、サイコ、オウヒの生薬を適宜組合わせて、これらを胡麻油で煮出して得たエキスと馬の油を組み合わせたものを有効主成分とする各種皮膚疾患に対する治療薬。

[0043]

【実施例38】オウギ、トウキ、シャクヤク、ジオウ、 オウレン、オウゴン、オウバク、サンシシ、ケイガイ、 ソウジュツ、ダイオウ、サイコ、オウヒの生薬を適宜組 合わせて、これらを植物油で煮出して得たエキスと馬の 油を組み合わせたものを有効主成分とする各種皮膚疾患 に対する治療薬。

[0044]

【実施例39】オウギ、トウキ、シャクヤク、ジオウ、オウレン、オウゴン、オウバク、サンシシ、ケイガイ、ソウジュツ、ダイオウ、サイコ、オウヒの生薬を適宜組合わせて、これらを馬の油等の動物油で煮出して得た工50 キスを有効主成分とする各種皮膚疾患に対する治療薬。

FΙ

9

[0045]

【実施例40】オウギ、トウキ、シャクヤク、ジオウ、オウレン、オウゴン、オウバク、サンシシ、ケイガイ、ソウジュツ、ダイオウ、サイコ、オウヒの生薬を適宜組合わせて、これらをオリーブ油等の植物油で煮出して得られた抽出液を沪過、その他により固形物を除去してエキスを得る。これに馬の油と蜜蝋を入れて溶解、攪拌しながら冷やして膏剤としたものを主成分とする各種皮膚疾患に対する治療薬。

[0046]

【発明の効果】治療が困難なアトピー性皮膚炎に対して、これらの薬を用いることによりほとんど副作用がなくなると共に、かつその患部のかゆみ並びに発汗も抑えられるため従来より、きわめて有効な治療ができる。そして皮膚を正常な皮膚に戻すと共に、変色した皮膚を正常な色の皮膚に戻すことができる。またこれらの薬を用いることにより口内炎、外耳道炎、蓄膿症、火傷、鼻炎によ低下症、しもやけ、その他各種皮膚疾患にも副作用がなく、かつきわめて有効な治療ができると共に、舌痛

10 症に対してもこれらの薬は大変有効である。

10

フロントページの続き

35:36) 7431-4C

技術表示箇所

PATENT ABSTRACTS OF JAPAN

(11) Publication number:

06-279305

)

(43)Date of publication of application: 04.10.1994

(51)Int.CI.

A61K 35/78 A61K 35/78 A61K 35/78 A61K 35/78 A61K 9/06 //(A61K 35/78 A61K 35:36

(21)Application number: 05-105881

(71)Applicant:

KUGA TAKAAKI KUGA MASAAKI

(22)Date of filing:

25.03.1993

(72)Inventor:

KUGA MASAAKI

(54) AGENT FOR TREATMENT OF DERMATIC DISEASE SUCH AS ATOPIC DERMATITIS

(57) Abstract:

PURPOSE: To provide an agent having remarkably excellent effect for the treatment of various intractable skin diseases such as atopic dermatitis and having little side effect.

CONSTITUTION: An agent for the treatment of various skin diseases is produced by properly combining crude drugs such as OUGI (root of Astragalus huantchy), TOUKI (root of Angelica acutiloba), KEIHI (bark of Cinnamomum cassia), SHAKUYAKU (root of Paeonia albiflora), JIOU (root of Rehmannia glutinosa), OUREN (rhizome of Coptis japonica), OUGON (root of Scutellaria baicalensis), OUBAKU (bark of Phellodendron amurense), SANSHISHI (fruit of Gardenia jasminoides), BOUFU (root of Ladebouriella seseloides), KEIGAI (flower of Schizonepeta tenuifolia), SOUJUTSU (rhizome of Atractylodes lancea), DAIOU (rhizome of Pheum palmatum), SAIKO (root of Bupleurum falcatum), OUHI (bark of Prunus yedoensis) and KUJIN (root of Sophora angustifolia), decocting the herbs with a vegetable oil such as olive oil, removing the solid component from the extract by filtration or other means, adding horse oil and beeswax to the obtained extract, dissolving the mixture and cooling the solution under stirring to obtain the objective ointment.

LEGAL STATUS

[Date of request for examination]

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's

decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's decision of

rejection

[Date of extinction of right]

Copyright (C); 1998,2003 Japan Patent Office

Japan Patent Office is not responsible for any damages caused by the use of this translation.

- 1. This document has been translated by computer. So the translation may not reflect the original precisely.
- 2.**** shows the word which can not be translated.
- 3.In the drawings, any words are not translated.

DETAILED DESCRIPTION

[Detailed Description of the Invention]

[0001]

[Industrial Application] This invention is used as atopic dermatitis, stomatitis, external-auditory-meatus flame, an empyema, a burn, sense-of-smell ****** by rhinitis, ******, the chilblain, and other skin disease therapeutic drugs.

[Description of the Prior Art] Conventionally, skin disease therapeutic drugs, such as atopic dermatitis by the same people application of presentation, are in the skin disease therapeutic drug row by the same people application of utility model ****** February 8, Heisei 5 presentation on patent application March 2, Heisei 5. However, sufficient curative effect may not come out of those therapeutic drugs by the cause of sweating and others to a part of atopic dermatitis etc. [0003]

[Problem(s) to be Solved by the Device] For this reason, in order to solve the fault of skin disease therapeutic drugs, such as the conventional atopic dermatitis, it is a technical problem for there not to be sweating, Yumi, and a side effect with *****, and to obtain the very large therapeutic drug of a curative effect.

[0004]

[Means for Solving the Problem] The therapeutic drug to the various skin disease which makes what combined the extractives which began to boil these and obtained them with vegetable oil, such as olive oil, combining suitably vegetable drugs, such as Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, Prunus jamasakura, and a sophorae radix, and the oil of a horse an effective principal component.

[Function] By applying the therapeutic drug of this invention to a part lightly, or lengthening and applying gauze on gauze, paper, etc., it acts on atopic dermatitis, and sweating, the itching, and a side effect are not almost, and treatment with a large effect is made. And the color of the discolored skin can also be returned to a normal color as well as making the normal skin recover the skin. Moreover, since sweating and the itching of the disorder section can also be pressed down during the treatment, a much more effective curative effect is acquired. A very effective curative effect is acquired also to the skin disease of stomatitis, external-auditory-meatus flame, an empyema, a burn, sense-of-smell ****** by rhinitis, the chilblain, ******, and others.

[0006]

[Example 1] The therapeutic drug to the various skin disease which makes what combined the extractives which began to boil these and obtained them with olive oil, combining suitably the vegetable drug of Augie, an angericae radix, cinnamon, a peony, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella. Schizonepetae herba, sow JUTSU, and a rhubarb, and the oil of a horse an effective principal component. Although the above-mentioned vegetable drug can be used at a suitable rate, it is desirable to use at a rate of Augie 10, an angericae radix 20, cinnamon 3, a peony 10, Rehmannia Root 20, a coptis root 5, Scutellaria root 10, a cork tree bark 3, a gardeniae fructus 5, Ledebouriella 10, Schizonepetae herba 5, sow JUTSU 10, and a rhubarb 10.

[Example 2] The therapeutic drug to the various skin disease which makes what combined the extractives which began to boil these and obtained them with sesame oil, combining suitably the vegetable drug of Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, and a rhubarb, and the oil of a horse an effective principal component. Although the above-mentioned vegetable drug can be used at a suitable rate, it is desirable to use at a rate of Augie 10, an angericae radix 20, cinnamon 3, a peony 10, Rehmannia Root 20, a coptis root 5, Scutellaria root 10, a cork tree bark 3, a gardeniae fructus 5, Ledebouriella 10, Schizonepetae herba 5, sow JUTSU 10, and a rhubarb 10.

[Example 3] The therapeutic drug to the various skin disease characterized by making into an effective principal component what combined the extractives which began to boil these and obtained them with vegetable oil, and animal oil combining Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, and vegetable drug **** of a rhubarb. Although the above-mentioned vegetable drug can be used at a suitable rate, it is desirable to use at a rate of Augie 10, an angericae radix 20, cinnamon 3, a

peony 10, Rehmannia Root 20, a coptis root 5, Scutellaria root 10, a cork tree bark 3, a gardeniae fructus 5, Ledebouriella 10, Schizonepetae herba 5, sow JUTSU 10, and a rhubarb 10.

[Example 4] The therapeutic drug to the various skin disease characterized by making into an effective principal component the extractives which began to boil these and obtained them by animal oil, such as an oil of a horse, combining suitably the vegetable drug of Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, and a rhubarb. Although the above-mentioned vegetable drug can be used at a suitable rate, it is desirable to use at a rate of Augie 10, an angericae radix 20, cinnamon 3, a peony 10, Rehmannia Root 20, a coptis root 5, Scutellaria root 10, a cork tree bark 3, a gardeniae fructus 5, Ledebouriella 10, Schizonepetae herba 5, sow JUTSU 10, and a rhubarb 10. [0010]

[Example 5] Filtration and other twist solids are removed for the extract which began to boil these with vegetable oil, such as olive oil, and was obtained combining Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, and vegetable drug **** of a rhubarb, and extractives are obtained. The therapeutic drug to the various skin disease which makes a principal component what put the oil and beeswax of a horse into this, cooled, dissolving and stirring, and was made into the fat agent. Although the above-mentioned vegetable drug can be used at a suitable rate, it is desirable to use at a rate of Augie 10, an angericae radix 20, cinnamon 3, a peony 10, Rehmannia Root 20, a coptis root 5, Scutellaria root 10, a cork tree bark 3, a gardeniae fructus 5, Ledebouriella 10, Schizonepetae herba 5, sow JUTSU 10, and a rhubarb 10.

[Example 6] The therapeutic drug to the various skin disease which makes what combined the extractives which began to boil these and obtained them with olive oil, combining suitably Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, a rhubarb, and the vegetable drug of Phycho, and the oil of a horse an effective principal component.

[Example 7] The therapeutic drug to the various skin disease which makes what combined the extractives which began to boil these and obtained them with sesame oil, combining suitably Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, a rhubarb, and the vegetable drug of Phycho, and the oil of a horse an effective principal component.

[Example 8] The therapeutic drug to the various skin disease which makes what combined the extract which began to boil these and obtained them with vegetable oil, combining suitably Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, a rhubarb, and the vegetable drug of Phycho, and the oil of a horse an effective principal component.

[Example 9] The therapeutic drug to the various skin disease which makes the extract which began to boil these and obtained them by animal oil, such as an oil of a horse, combining suitably Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, a rhubarb, and the vegetable drug of Phycho an effective principal component.

[Example 10] Filtration and other twist solids are removed for the extract which began to boil these with vegetable oil, such as olive oil, and was obtained, combining suitably Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, a rhubarb, and the vegetable drug of Phycho, and an extract is obtained. The therapeutic drug to the various skin disease which makes a principal component what put the oil and beeswax of a horse into this, cooled, dissolving and stirring, and was made into the fat agent. [0016]

[Example 11] The therapeutic drug to the various skin disease which makes what combined the extract which began to boil these and obtained them with olive oil, combining suitably the vegetable drug of Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, and Prunus jamasakura, and the oil of a horse an effective principal component.

[Example 12] The therapeutic drug to the various skin disease which makes what combined the extract which began to boil these and obtained them with sesame oil, combining suitably the vegetable drug of Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, and Prunus jamasakura, and the oil of a horse an effective principal component.

[Example 13] The therapeutic drug to the various skin disease which makes what combined the extract which began to boil these and obtained them with vegetable oil, combining suitably the vegetable drug of Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, and Prunus jamasakura, and the oil of a horse an effective principal component. [0019]

[Example 14] The therapeutic drug to the various skin disease which makes what combined the extract which began to boil these and obtained them by animal oil, such as an oil of a horse, combining suitably the vegetable drug of Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, and Prunus jamasakura an effective principal component. [0020]

[Example 15] Filtration and other twist solids are removed for the extract which began to boil these with vegetable oil, such as olive oil, and was obtained, combining suitably the vegetable drug of Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, and Prunus jamasakura, and an extract is obtained. The therapeutic drug to the various skin disease which makes a principal component what put the oil and beeswax of a horse into this, cooled, dissolving and stirring, and was made into the fat agent.

[0021]

[Example 16] The therapeutic drug to the various skin disease which makes what combined the extract which began to boil these and obtained them with olive oil, combining suitably the vegetable drug of Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, Prunus jamasakura, and a sophorae radix, and the oil of a horse an effective principal component.

[Example 17] The therapeutic drug to the various skin disease which makes what combined the extract which began to boil these and obtained them with sesame oil, combining suitably the vegetable drug of Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, Prunus jamasakura, and a sophorae radix, and the oil of a horse an effective principal component. [0023]

[Example 18] The therapeutic drug to the various skin disease which makes what combined the extract which began to boil these and obtained them with vegetable oil, combining suitably the vegetable drug of Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, Prunus jamasakura, and a sophorae radix, and the oil of a horse an effective principal component.

[Example 19] The therapeutic drug to the various skin disease which combines suitably the vegetable drug of Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, Prunus jamasakura, and a sophorae radix, and makes the extractives which began to boil these and obtained them by animal oil, such as an oil of a horse, an effective principal component.

[0025]

[Example 20] The vegetable drug of Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, Prunus jamasakura, and a sophorae radix is combined suitably, filtration and other twist solids are removed for the extract which began to boil these with vegetable oil, such as olive oil, and was obtained, and an extract is obtained. The therapeutic drug to the various skin disease which makes a principal component what put the oil and beeswax of a horse into this, cooled, dissolving and stirring, and was made into the fat agent.

[Example 21] The therapeutic drug to the various skin disease which makes what combined the extractives which began to boil these and obtained them with olive oil, combining suitably Augie, an angericae radix, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Schizonepetae herba, sow JUTSU, a rhubarb, and the vegetable drug of Phycho, and the oil of a horse an effective principal component.

[Example 22] The therapeutic drug to the various skin disease which makes what combined the extractives which began to boil these and obtained them with sesame oil, combining suitably Augie, an angericae radix, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Schizonepetae herba, sow JUTSU, a rhubarb, and the vegetable drug of Phycho, and the oil of a horse an effective principal component.

[0028]

[Example 23] The therapeutic drug to the various skin disease which makes what combined the extractives which began to boil these and obtained them with vegetable oil, combining suitably Augie, an angericae radix, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Schizonepetae herba, sow JUTSU, a rhubarb, and the vegetable drug of Phycho, and the oil of a horse an effective principal component. [0029]

[Example 24] The therapeutic drug to the various skin disease which makes the extractives which began to boil these and obtained them by animal oil, such as an oil of a horse, combining suitably Augie, an angericae radix, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Schizonepetae herba, sow JUTSU, a rhubarb, and the vegetable drug of Phycho an effective principal component.

[Example 25] Filtration and other twist solids are removed for the extract which boiled Augie, an angericae radix, a peony,

Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Schizonepetae herba, sow JUTSU, the rhubarb, and the vegetable drug of Phycho by ********, began to boil these with vegetable oil, such as olive oil, and was obtained suitably, and extractives are obtained. The therapeutic drug to the various skin disease which makes a principal component what put the oil and beeswax of a horse into this, cooled, dissolving and stirring, and was made into the fat agent. [0031]

[Example 26] The therapeutic drug to the various skin disease which makes what combined the extractives which began to boil these and obtained them with olive oil, combining suitably the vegetable drug of Augie, an angericae radix, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, and a sophorae radix, and the oil of a horse an effective principal component.

[Example 27] The therapeutic drug to the various skin disease which makes what combined the extractives which began to boil these and obtained them with sesame oil, combining suitably the vegetable drug of Augie, an angericae radix, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, and a sophorae radix, and the oil of a horse an effective principal component.

[Example 28] The therapeutic drug to the various skin disease which makes what combined the extractives which began to boil these and obtained them with vegetable oil, combining suitably the vegetable drug of Augie, an angericae radix, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, and a sophorae radix, and the oil of a horse an effective principal component.

[Example 29] The therapeutic drug to the various skin disease which makes the extractives which began to boil these and obtained them by animal oil, such as an oil of a horse, combining suitably the vegetable drug of Augie, an angericae radix, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, SANSHI, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, and a sophorae radix an effective principal component.

[Example 30] Filtration and other twist solids are removed for the extract which began to boil these with vegetable oil, such as olive oil, and was obtained, combining suitably the vegetable drug of Augie, an angericae radix, a peony, Rehmannia Root, a coptis root, a Scutellaria root, OUPAKU, a gardeniae fructus, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, and a sophorae radix, and extractives are obtained. The therapeutic drug to the various skin disease which makes a principal component what put the oil and beeswax of a horse into this, cooled, dissolving and stirring, and was made into the fat agent. [0036]

[Example 31] The therapeutic drug to the various skin disease which makes what combined the extractives which began to boil these and obtained them with olive oil, combining suitably the vegetable drug of Augie, an angericae radix, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, a sophorae radix, and Prunus jamasakura, and the oil of a horse an effective principal component.

[Example 32] The therapeutic drug to the various skin disease which makes what combined the extractives which began to boil these and obtained them with sesame oil, combining suitably the vegetable drug of Augie, an angericae radix, a peony, Rehmannia Root, a coptis root Scutellaria root, a cork tree bark, a gardeniae fructus, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, a sophorae radix, and Prunus jamasakura, and the oil of a horse an effective principal component. [0038]

[Example 33] The therapeutic drug to the various skin disease which makes what combined the extractives which began to boil these and obtained them with vegetable oil, combining suitably the vegetable drug of Augie, an angericae radix, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, a sophorae radix, and Prunus jamasakura, and the oil of a horse an effective principal component. [0039]

[Example 34] The therapeutic drug to the various skin disease which makes the extractives which began to boil these and obtained them by animal oil, such as an oil of a horse, combining suitably the vegetable drug of Augie, an angericae radix, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, a sophorae radix, and Prunus jamasakura an effective principal component.

[Example 35] Filtration and other twist solids are removed for the extract which began to boil these with vegetable oil, such as olive oil, and was obtained, combining suitably the vegetable drug of Augie, an angericae radix, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, a sophorae radix, and Prunus jamasakura, and extractives are obtained. The therapeutic drug to the various skin disease which makes a principal component what put the oil and beeswax of a horse into this, cooled, dissolving and stirring, and was made into the fat agent.

[0041]

[Example 36] The therapeutic drug to the various skin disease which makes what combined the extractives which began to boil these and obtained them with olive oil, combining suitably the vegetable drug of Augie, an angericae radix, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Schizonepetae herba, sow JUTSU, a rhubarb,

Phycho, and Prunus jamasakura, and the oil of a horse an effective principal component. [0042]

[Example 37] The therapeutic drug to the various skin disease which makes what combined the extractives which began to boil these and obtained them with sesame oil, combining suitably the vegetable drug of Augie, an angericae radix, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, and Prunus jamasakura, and the oil of a horse an effective principal component. [0043]

[Example 38] The therapeutic drug to the various skin disease which makes what combined the extractives which began to boil these and obtained them with vegetable oil, combining suitably the vegetable drug of Augie, an angericae radix, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, and Prunus jamasakura, and the oil of a horse an effective principal component.

[Example 39] The therapeutic drug to the various skin disease which makes the extract which began to boil these and obtained them by animal oil, such as an oil of a horse, combining suitably the vegetable drug of Augie, an angericae radix, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, and Prunus jamasakura an effective principal component.

[Example 40] Filtration and other twist solids are removed for the extract which began to boil these with vegetable oil, such as olive oil, and was obtained, combining suitably the vegetable drug of Augie, an angericae radix, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, and Prunus jamasakura, and extractives are obtained. The therapeutic drug to the various skin disease which makes a principal component what put the oil and beeswax of a horse into this, cooled, dissolving and stirring, and was made into the fat agent. [0046]

[Effect of the Invention] When treatment uses such medicine to difficult atopic dermatitis, while a side effect is almost lost, and since the itching of the affected part and sweating are also suppressed, very effective treatment is made from before. And while returning the skin to the normal skin, the discolored skin can be returned to the skin of a normal color. Moreover, while there is no side effect in stomatitis, external-auditory-meatus flame, an empyema, a burn, and rhinitis and very effective treatment is made also to ********, the chilblain, and other various skin disease by using such medicine, such medicine is very effective also to *******.

Japan Patent Office is not responsible for any damages caused by the use of this translation.

- 1. This document has been translated by computer. So the translation may not reflect the original precisely.
- 2.**** shows the word which can not be translated.
- 3.In the drawings, any words are not translated.

TECHNICAL FIELD

[Industrial Application] This invention is used as atopic dermatitis, stomatitis, external-auditory-meatus flame, an empyema, a burn, sense-of-smell ****** by rhinitis, ******, a frostbite, and other skin disease therapeutic drugs.

Japan Patent Office is not responsible for any damages caused by the use of this translation.

- 1. This document has been translated by computer. So the translation may not reflect the original precisely.
- 2.**** shows the word which can not be translated.
- 3.In the drawings, any words are not translated.

PRIOR ART

[Description of the Prior Art] Conventionally, skin disease therapeutic drugs, such as atopic dermatitis by the same people application of presentation, are in the skin disease therapeutic drug row by the same people application of utility model ****** February 8, Heisei 5 presentation on patent application March 2, Heisei 5. However, sufficient curative effect may not come out of those therapeutic drugs by the cause of sweating and others to a part of atopic dermatitis etc.

Japan Patent Office is not responsible for any damages caused by the use of this translation.

- 1. This document has been translated by computer. So the translation may not reflect the original precisely.
- 2.**** shows the word which can not be translated.
- 3.In the drawings, any words are not translated.

EFFECT OF THE INVENTION

[Effect of the Invention] When medical treatment uses such medicine to difficult atopic dermatitis, while a side effect is almost lost, and since the itchiness of the affected part and sweating are also suppressed, very effective medical treatment is made from before. And while returning the skin to the normal skin, the discolored skin can be returned to the skin of a normal color. Moreover, while there is no side effect in stomatitis, external-auditory-meatus flame, an empyema, a burn, and rhinitis and very effective medical treatment is made also to *******, a frostbite, and other various skin disease by using such medicine, such medicine is very effective also to ******.

Japan Patent Office is not responsible for any damages caused by the use of this translation.

- 1. This document has been translated by computer. So the translation may not reflect the original precisely.
- 2.**** shows the word which can not be translated.
- 3.In the drawings, any words are not translated.

TECHNICAL PROBLEM

[Problem(s) to be Solved by the Device] For this reason, in order to solve the fault of skin disease therapeutic drugs, such as the conventional atopic dermatitis, it is a technical problem for there not to be sweating, Yumi, and a side effect with *****, and to obtain the very large therapeutic drug of a curative effect.

Japan Patent Office is not responsible for any damages caused by the use of this translation.

- 1. This document has been translated by computer. So the translation may not reflect the original precisely.
- 2.**** shows the word which can not be translated.
- 3.In the drawings, any words are not translated.

MEANS

[Means for Solving the Problem] The therapeutic drug to the various skin disease which makes what combined the extract which began to boil these and obtained them with vegetable oil, such as olive oil, combining suitably vegetable drugs, such as Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, Prunus jamasakura, and a sophorae radix, and the oil of a horse an effective principal component.

Japan Patent Office is not responsible for any damages caused by the use of this translation.

- 1. This document has been translated by computer. So the translation may not reflect the original precisely.
- 2.**** shows the word which can not be translated.
- 3.In the drawings, any words are not translated.

OPERATION

[Function] By applying the therapeutic drug of this invention to a part lightly, or lengthening and applying gauze on gauze, paper, etc., it acts on atopic dermatitis, and sweating, itchiness, and a side effect are not almost, and medical treatment with a large effect is made. And the color of the discolored skin can also be returned to a normal color as well as making the normal skin recover the skin. Moreover, since sweating and itchiness of the disease section can also be pressed down during the medical treatment, a much more effective curative effect is acquired. A very effective curative effect is acquired also to the skin disease of stomatitis, external-auditory-meatus flame, an empyema, a burn, sense-of-smell ****** by rhinitis, a frostbite, ******, and others.

[0006]

[Example 1] The therapeutic drug to the various skin disease which makes what combined the extractives which began to boil these and obtained them with olive oil, combining suitably the vegetable drug of Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, and a rhubarb, and the oil of a horse an effective principal component. Although the above-mentioned vegetable drug can be used at a suitable rate, it is desirable to use at a rate of Augie 10, an angericae radix 20, cinnamon 3, a peony 10, Rehmannia Root 20, a coptis root 5, Scutellaria root 10, a cork tree bark 3, a gardeniae fructus 5, Ledebouriella 10, Schizonepetae herba 5, sow JUTSU 10, and a rhubarb 10.

[Example 2] The therapeutic drug to the various skin disease which makes what combined the extractives which began to boil these and obtained them with sesame oil, combining suitably the vegetable drug of Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, and a rhubarb, and the oil of a horse an effective principal component. Although the above-mentioned vegetable drug can be used at a suitable rate, it is desirable to use at a rate of Augie 10, an angericae radix 20, cinnamon 3, a peony 10, Rehmannia Root 20, a coptis root 5, Scutellaria root 10, a cork tree bark 3, a gardeniae fructus 5, Ledebouriella 10, Schizonepetae herba 5, sow JUTSU 10, and a rhubarb 10.

[Example 3] The therapeutic drug to the various skin disease characterized by making into an effective principal component what combined the extractives which began to boil these and obtained them with vegetable oil, and animal oil combining Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, and vegetable drug **** of a rhubarb. Although the above-mentioned vegetable drug can be used at a suitable rate, it is desirable to use at a rate of Augie 10, an angericae radix 20, cinnamon 3, a peony 10, Rehmannia Root 20, a coptis root 5, Scutellaria root 10, a cork tree bark 3, a gardeniae fructus 5, Ledebouriella 10, Schizonepetae herba 5, sow JUTSU 10, and a rhubarb 10.

[Example 4] The therapeutic drug to the various skin disease characterized by making into an effective principal component the extractives which began to boil these and obtained them by animal oil, such as an oil of a horse, combining suitably the vegetable drug of Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, and a rhubarb. Although the above-mentioned vegetable drug can be used at a suitable rate, it is desirable to use at a rate of Augie 10, an angericae radix 20, cinnamon 3, a peony 10, Rehmannia Root 20, a coptis root 5, Scutellaria root 10, a cork tree bark 3, a gardeniae fructus 5, Ledebouriella 10, Schizonepetae herba 5, sow JUTSU 10, and a rhubarb 10. [0010]

[Example 5] Filtration and other twist solids are removed for the extract which began to boil these with vegetable oil, such as olive oil, and was obtained combining Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, and vegetable drug **** of a rhubarb, and extractives are obtained. The therapeutic drug to the various skin disease which makes a principal component what put the oil and beeswax of a horse into this, cooled, dissolving and stirring, and was made into the fat agent. Although the above-mentioned vegetable drug can be used at a suitable rate, it is desirable to use at a rate of Augie 10, an angericae radix 20, cinnamon 3, a peony 10, Rehmannia Root 20, a coptis root 5, Scutellaria root 10, a cork tree bark 3, a gardeniae fructus 5, Ledebouriella 10, Schizonepetae herba 5, sow JUTSU 10, and a rhubarb 10.

12/15/03 7:22 AM

[Example 6] The therapeutic drug to the various skin disease which makes what combined the extractives which began to boil these and obtained them with olive oil, combining suitably Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, a rhubarb, and the vegetable drug of Phycho, and the oil of a horse an effective principal component.

[Example 7] The therapeutic drug to the various skin disease which makes what combined the extractives which began to boil these and obtained them with sesame oil, combining suitably Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, a rhubarb, and the vegetable drug of Phycho, and the oil of a horse an effective principal component. [0013]

[Example 8] The therapeutic drug to the various skin disease which makes what combined the extractives which began to boil these and obtained them with vegetable oil, combining suitably Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, a rhubarb, and the vegetable drug of Phycho, and the oil of a horse an effective principal component.

[Example 9] The therapeutic drug to the various skin disease which makes the extractives which began to boil these and obtained them by animal oil, such as an oil of a horse, combining suitably Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, a rhubarb, and the vegetable drug of Phycho an effective principal component.

[Example 10] Filtration and other twist solids are removed for the extract which began to boil these with vegetable oil, such as olive oil, and was obtained, combining suitably Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, a rhubarb, and the vegetable drug of Phycho, and an extract is obtained. The therapeutic drug to the various skin disease which makes a principal component what put the oil and beeswax of a horse into this, cooled, dissolving and stirring, and was made into the fat agent. [0016]

[Example 11] The therapeutic drug to the various skin disease which makes what combined the extract which began to boil these and obtained them with olive oil, combining suitably the vegetable drug of Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, and Prunus jamasakura, and the oil of a horse an effective principal component. [0017]

[Example 12] The therapeutic drug to the various skin disease which makes what combined the extract which began to boil these and obtained them with sesame oil, combining suitably the vegetable drug of Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, and Prunus jamasakura, and the oil of a horse an effective principal component. [0018]

[Example 13] The therapeutic drug to the various skin disease which makes what combined the extractives which began to boil these and obtained them with vegetable oil, combining suitably the vegetable drug of Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, and Prunus jamasakura, and the oil of a horse an effective principal component. [0019]

[Example 14] The therapeutic drug to the various skin disease which makes what combined the extractives which began to boil these and obtained them by animal oil, such as an oil of a horse, combining suitably the vegetable drug of Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, and Prunus jamasakura an effective principal component. [0020]

[Example 15] Filtration and other twist solids are removed for the extract which began to boil these with vegetable oil, such as olive oil, and was obtained, combining suitably the vegetable drug of Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, and Prunus jamasakura, and extractives are obtained. The therapeutic drug to the various skin disease which makes a principal component what put the oil and beeswax of a horse into this, cooled, dissolving and stirring, and was made into the fat agent.

[0021]

[Example 16] The therapeutic drug to the various skin disease which makes what combined the extract which began to boil these and obtained them with olive oil, combining suitably the vegetable drug of Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, Prunus jamasakura, and a sophorae radix, and the oil of a horse an effective principal component. [0022]

[Example 17] The therapeutic drug to the various skin disease which makes what combined the extractives which began to boil these and obtained them with sesame oil, combining suitably the vegetable drug of Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae

herba, sow JUTSU, a rhubarb, Phycho, Prunus jamasakura, and a sophorae radix, and the oil of a horse an effective principal component.

[0023]

[Example 18] The therapeutic drug to the various skin disease which makes what combined the extract which began to boil these and obtained them with vegetable oil, combining suitably the vegetable drug of Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, Prunus jamasakura, and a sophorae radix, and the oil of a horse an effective principal component. [0024]

[Example 19] The therapeutic drug to the various skin disease which combines suitably the vegetable drug of Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, Prunus jamasakura, and a sophorae radix, and makes the extract which began to boil these and obtained them by animal oil, such as an oil of a horse, an effective principal component. [0025]

Example 20] The vegetable drug of Augie, an angericae radix, cinnamon, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Ledebouriella, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, Prunus jamasakura, and a sophorae radix is combined suitably, filtration and other twist solids are removed for the extract which began to boil these with vegetable oil, such as olive oil, and was obtained, and an extract is obtained. The therapeutic drug to the various skin disease which makes a principal component what put the oil and beeswax of a horse into this, cooled, dissolving and stirring, and was made into the fat agent.

[Example 21] The therapeutic drug to the various skin disease which makes what combined the extract which began to boil these and obtained them with olive oil, combining suitably Augie, an angericae radix, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Schizonepetae herba, sow JUTSU, a rhubarb, and the vegetable drug of Phycho, and the oil of a horse an effective principal component.

[Example 22] The therapeutic drug to the various skin disease which makes what combined the extract which began to boil these and obtained them with sesame oil, combining suitably Augie, an angericae radix, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Schizonepetae herba, sow JUTSU, a rhubarb, and the vegetable drug of Phycho, and the oil of a horse an effective principal component.

[Example 23] The therapeutic drug to the various skin disease which makes what combined the extract which began to boil these and obtained them with vegetable oil, combining suitably Augie, an angericae radix, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Schizonepetae herba, sow JUTSU, a rhubarb, and the vegetable drug of Phycho, and the oil of a horse an effective principal component. [0029]

[Example 24] The therapeutic drug to the various skin disease which makes the extract which began to boil these and obtained them by animal oil, such as an oil of a horse, combining suitably Augie, an angericae radix, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Schizonepetae herba, sow JUTSU, a rhubarb, and the vegetable drug of Phycho an effective principal component.

[Example 25] Filtration and other twist solids are removed for the extract which boiled Augie, an angericae radix, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Schizonepetae herba, sow JUTSU, the rhubarb, and the vegetable drug of Phycho by *********, began to boil these with vegetable oil, such as olive oil, and was obtained suitably, and an extract is obtained. The therapeutic drug to the various skin disease which makes a principal component what put the oil and beeswax of a horse into this, cooled, dissolving and stirring, and was made into the fat agent. [0031]

[Example 26] The therapeutic drug to the various skin disease which makes what combined the extract which began to boil these and obtained them with olive oil, combining suitably the vegetable drug of Augie, an angericae radix, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, and a sophorae radix, and the oil of a horse an effective principal component.

[Example 27] The therapeutic drug to the various skin disease which makes what combined the extract which began to boil these and obtained them with sesame oil, combining suitably the vegetable drug of Augie, an angericae radix, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, and a sophorae radix, and the oil of a horse an effective principal component.

[Example 28] The therapeutic drug to the various skin disease which makes what combined the extract which began to boil these and obtained them with vegetable oil, combining suitably the vegetable drug of Augie, an angericae radix, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, and a sophorae radix, and the oil of a horse an effective principal component.

[0034]

12/15/03 7:22 AM

[Example 29] The therapeutic drug to the various skin disease which makes the extract which began to boil these and obtained them by animal oil, such as an oil of a horse, combining suitably the vegetable drug of Augie, an angericae radix, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, SANSHI, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, and a sophorae radix an effective principal component.

[Example 30] Filtration and other twist solids are removed for the extract which began to boil these with vegetable oil, such as olive oil, and was obtained, combining suitably the vegetable drug of Augie, an angericae radix, a peony, Rehmannia Root, a coptis root, a Scutellaria root, OUPAKU, a gardeniae fructus, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, and a sophorae radix, and extractives are obtained. The therapeutic drug to the various skin disease which makes a principal component what put the oil and beeswax of a horse into this, cooled, dissolving and stirring, and was made into the fat agent. [0036]

[Example 31] The therapeutic drug to the various skin disease which makes what combined the extractives which began to boil these and obtained them with olive oil, combining suitably the vegetable drug of Augie, an angericae radix, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, a sophorae radix, and Prunus jamasakura, and the oil of a horse an effective principal component.

[Example 32] The therapeutic drug to the various skin disease which makes what combined the extractives which began to boil these and obtained them with sesame oil, combining suitably the vegetable drug of Augie, an angericae radix, a peony, Rehmannia Root, a coptis root Scutellaria root, a cork tree bark, a gardeniae fructus, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, a sophorae radix, and Prunus jamasakura, and the oil of a horse an effective principal component. [0038]

[Example 33] The therapeutic drug to the various skin disease which makes what combined the extractives which began to boil these and obtained them with vegetable oil, combining suitably the vegetable drug of Augie, an angericae radix, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, a sophorae radix, and Prunus jamasakura, and the oil of a horse an effective principal component. [0039]

[Example 34] The therapeutic drug to the various skin disease which makes the extractives which began to boil these and obtained them by animal oil, such as an oil of a horse, combining suitably the vegetable drug of Augie, an angericae radix, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, a sophorae radix, and Prunus jamasakura an effective principal component.

[Example 35] Filtration and other twist solids are removed for the extract which began to boil these with vegetable oil, such as olive oil, and was obtained, combining suitably the vegetable drug of Augie, an angericae radix, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, a sophorae radix, and Prunus jamasakura, and extractives are obtained. The therapeutic drug to the various skin disease which makes a principal component what put the oil and beeswax of a horse into this, cooled, dissolving and stirring, and was made into the fat agent.

[0041]

[Example 36] The therapeutic drug to the various skin disease which makes what combined the extractives which began to boil these and obtained them with olive oil, combining suitably the vegetable drug of Augie, an angericae radix, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, and Prunus jamasakura, and the oil of a horse an effective principal component. [0042]

[Example 37] The therapeutic drug to the various skin disease which makes what combined the extractives which began to boil these and obtained them with sesame oil, combining suitably the vegetable drug of Augie, an angericae radix, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, and Prunus jamasakura, and the oil of a horse an effective principal component.

[0043]

[Example 38] The therapeutic drug to the various skin disease which makes what combined the extractives which began to boil these and obtained them with vegetable oil, combining suitably the vegetable drug of Augie, an angericae radix, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, and Prunus jamasakura, and the oil of a horse an effective principal component.

[Example 39] The therapeutic drug to the various skin disease which makes the extractives which began to boil these and obtained them by animal oil, such as an oil of a horse, combining suitably the vegetable drug of Augie, an angericae radix, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, and Prunus jamasakura an effective principal component.

[Example 40] Filtration and other twist solids are removed for the extract which began to boil these with vegetable oil, such as olive oil, and was obtained, combining suitably the vegetable drug of Augie, an angericae radix, a peony, Rehmannia Root, a coptis root, a Scutellaria root, a cork tree bark, a gardeniae fructus, Schizonepetae herba, sow JUTSU, a rhubarb, Phycho, and

Prunus jamasakura, and extractives are obtained. The therapeutic drug to the various skin disease which makes a principal
component what put the oil and beeswax of a horse into this, cooled, dissolving and stirring, and was made into the fat agen
[0046]